

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
North Brunswick Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	8	12	0	.	8	12
AIDS-CD4 Only	31	46	0	.	31	46
HIV Only	29	43	0	.	29	43
-----	-----	---	-----	---	-----	---
Total	68	100	0	.	68	100

Current			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Age *	Cases	%		Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	24	35	0	.	24	35
5-12	0	0	Black, Not Hispanic	29	43	0	.	29	43
13-19	#	#	Hispanic	14	21	0	.	14	21
20-29	#	#	Other/Unknown	#	#	0	.	#	#
30-39	16	24	-----	-----	---	-----	---	-----	---
40-49	34	50	Total	68	100	0	.	68	100
50+	16	24							
Unk.	0	0							
-----	-----	---							
Total	68	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	16	35	0	0	16	24
Injection drug user (IDU)	11	24	9	41	20	29
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	11	24	5	23	16	24
-----	-----	---	-----	---	-----	---
Total	46	100	22	100	68	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
-----	-----	---	-----	---	-----	---
Total	0	.	0	.	0	.

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
North Brunswick Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	34	(34)	32 (94)	0	(.)	0 (.)	34	(34)
Other OI w/o PCP	23	(23)	17 (74)	0	(.)	0 (.)	23	(23)
KS Alone	#	(#)	# (#)	0	(.)	0 (.)	#	(#)
No Disease Listed	#	(#)	# (#)	0	(.)	0 (.)	#	(#)
Total	101	(100)	62 (62)	0	(.)	0 (.)	101	(100)

2. Age *	Cases		3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
	Cases	%		Cases	%	Cases	%	Cases	%
Under 5	0	0	White, Not Hispanic	43	43	0	.	43	43
5-12	0	0	Black, Not Hispanic	43	43	0	.	43	43
13-19	0	0	Hispanic	15	15	0	.	15	15
20-29	12	12	Other/Unknown	0	0	0	.	0	0
30-39	47	47	-----	-----	---	-----	---	-----	---
40-49	29	29	Total	101	100	0	.	101	100
Over 49	13	13							
Unknown	0	0							
Total	101	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
Men sex with men (MSM)	21	28	0	0	21	21
Injection drug user (IDU)	29	39	12	46	41	41
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	12	16	5	19	17	17
Total	75	100	26	100	101	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	0	.	0	.	0	.
Risk not reported/other***	0	.	0	.	0	.
Total	0	.	0	.	0	.

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
North Brunswick Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1986	#	#	#
1987	#	#	#
1988	6	6	100%
1989	#	#	#
1990	#	#	#
1991	8	8	100%
1992	9	9	100%
1993	6	#	#
1994	9	6	67%
1995	8	6	75%
1996	9	#	#
1997	8	#	#
1998	#	#	#
1999	#	#	#
2000	5	#	#
2001	#	#	#
2002	7	#	#
2003	6	#	#
-----	-----	-----	-----
Total	101	62	61%